## AT 10:55:33 ON 16 JAN 2004)

```
FILE 'REGISTRY' ENTERED AT 10:55:47 ON 16 JAN 2004
L1
            0 S GINKGO BILOBA/CN
L2
            189 S GINKGO BILOBA
L3
              0 S GINGO BILOBA
L4
              1 S PVP/CN
L5
              2 S MANNITOL/CN
L6
            194 S GINKGO
     FILE 'USPATFULL, CAPLUS, KOSMET, EMBASE' ENTERED AT 11:13:11 ON 16 JAN
L7
            156 S L6
rs
          92283 S L5 OR MANNITOL
L9
          82276 S L4 OR PVP OR POLYVINYLPYRROLIDONE
L10
              0 S L7 AND L8 AND L9
L11
              0 S L7 AND L8
              1 S L7 AND L9
L12
          5267 S GINKGO BILOBA
L13
L14
         423686 S HIS
             40 S L13 AND L8 AND L9
L15
L16
             40 DUPLICATE REMOVE L15 (0 DUPLICATES REMOVED)
     FILE 'STNGUIDE' ENTERED AT 11:15:47 ON 16 JAN 2004
     FILE 'USPATFULL, CAPLUS, KOSMET, EMBASE' ENTERED AT 11:31:33 ON 16 JAN
L17
             33 S L16 AND COAT####
```

=>

- . within the first 20 min of the test; and ii) a second NSAID-containing fraction of multiple-units in the form of coated delayed release multiple units for extended release of the NSAID substance, said units coated with a coating substantially water-insoluble, but water-diffusible and substantially pH-independent, wherein said second NSAID-containing fraction of multiple-units releases from about 6% to 30%. . . 6. The composition according to claim 1, wherein the first NSAID-containing fraction is present in the form of coated units and the NSAID substance contained in the first fraction has a pK.sub.a value of at least 5.0.
- 7. The composition according to claim 1, wherein the first NSAID-containing fraction is present in the form of coated units and the NSAID substance has a solubility in 0.1 N hydrochloric acid at room temperature of at least about. . . . . obtain a therapeutically and/or prophylactically active plasma concentration within a relatively short period of time, and a second fraction of coated modified release multiple-units for extended release in vivo of an NSAID substance to maintain a therapeutically and/or prophylactically active plasma. . . 33. The composition according to claim 1, wherein the multiple-units of the second fraction are coated cross-sectionally substantially homogeneous pellets.
- 35. The composition according to claim 1, wherein the first fraction is coated units and the coating is a substantially water-insoluble, but water-diffusible and substantially pH-independent coating.
- 44. A process for the preparation of a unit dosage form of an oral pharmaceutical modified release composition comprising the. . . of the NSAID substance is released within the first 20 min of the test;

ii)

the

providing a second fraction of **coated** extended release multiple-units for extended release in vivo of an NSAID substance, wherein said **coated**-units comprise a **coating** substantially water-insoluble, but water-diffusible and substantially pH-independent; iii) combining and formulating the first and the second fractions with respect to. . .

.  $\ensuremath{\text{w/w}}$  of the NSAID substance is released within the first 20 min of

test; and a second fraction of **coated** modified release multiple-units for extended release in vivo of an NSAID substance to maintain a therapeutically and/or prophylactically active plasma concentration, wherein each of the multiple-units is **coated** with a **coating** substantially water-insoluble, but water-diffusible, and substantially pH-independent, wherein said second NSAID-containing fraction of multiple-units releases from about 6% to 30%. . .

the intended use. Additions of dextrans, modified starches, sugars and, in particular, mannitol, allow, for example, pellets to be prepared according to the invention which dissolve in cold water spontaneously and completely.

DETD 50 g of mannitol

DETD The collagen hydrolysate, the wheat protein hydrolysate and the mannitol are dissolved in the cold Aloe vera juice, which has been processed as shown in Example 6, and pellets are. . .

CLM What is claimed is:

- arabic, pectins, tragacanth, xanthan, natural and modified starches, dextrans, dextrins, maltodextrin, chitosan, alginates, cellulose derivatives, dextran, sugars, glycine, lactose, sorbitol, mannitol or polyvinylpyrrolidone.
- . . gum arabic, pectins, tragacanth, xanthan, natural and modified starches, dextrans, dextrins, maltodextrin, chitosan, alginates, cellulose derivatives, dextran, sugars, glycine, lactose, mannitol or polyvinylpyrrolidone is added to the dispersion of skeleton builder and plant extract.
- IT 50-70-4, Sorbitol, biological studies 56-40-6, Glycine, biological
  studies 63-42-3, Lactose 69-65-8, D-Mannitol
  9003-39-8, PVP 9004-54-0, Dextran, biological studies
  (pellets contg. dihydropyridine deriv. drug and)